BBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBB	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	\$	RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR	
888 888 888 8888888888 8888888888888 888888		\$\$\$ \$\$\$ \$\$\$\$\$\$\$\$\$\$\$\$ \$\$\$\$\$\$\$\$\$\$\$\$\$\$ \$\$\$\$		

```
AAAAA
                 AAAAA
        PP
PP
PP
     88
88
88
                 $$$$$$
$$$$$$
$$
$$
$$
$$
     88
88
88
88
                SSSSSSSS
                $$
$$
$$
$$
             DD
        DD
        DD
        $$$$$$
$$$$$$
     $$
$$
$$
```

\*\*FILE\*\*ID\*\*BASPAR

RR RR RR

RR

....

{ REQUIRE file for BASIC internal parameters passed between modules { File:BASPAR.SDL Edit: SBL2001

COPYRIGHT (c) 1978, 1980, 1982, 1984 BY DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. ALL RIGHTS RESERVED.

THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY TRANSFERRED.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION.

DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

## MODULE \$BASPAR;

Control Z record for use with reading ENDFILE produced on PDP-11s

```
16-SEP-1984 16:39:50.22 Page 2
BASPAR.SDL:1
CONSTANT
         CONTROL_Z EQUALS 26 PREFIX BAS TAG $K; { ASCII Control Z - ENDFILE record
{ Define a number of constants that are used for format characters, carriage { control, and buffer sizes. The format character constants are pushed by the { UPI level and read by the UDF level of I/O. {-
CONSTANT
                                  EQUALS 2 PREQUALS 1 PREQUALS 6 PREQUALS 8 PREQUALS 0 PREQUALS 2 PREQUALS 1 PREQUALS 3 PREQUALS 1 PREQUALS 1 PREQUALS 141 EQUALS 256 EQUALS 127
                                                       PREFIX BAS TAG $K.
        COND SUC
FAILURE
SUCCESS
                                                                                                           conditional success status failure status
                                                                                                           success status
        MAR_EXC
BUF_EXC
CRLF
                                                                                                           margin exceeded status
buffer exceeded status
CRLF found in string to be output
                                                                                                           dummy argument comma format character in I/O
         NULL
        COMMA_FOR
SEMI_FORM
NO_FORM
                                                                                                           semicolon format character in I/O
                                                                                                           no format character
line feed character for carriage control
                                                            PREFIX BAS TAG $K,
PREFIX BAS TAG $K,
                                                                                                           carriage return character for carriage control used by GET and PUT for foreign buffers maximum LUN for foreign buffers 127 was chosen because it doesn't set the sign
         LUN MAX
                                                            PREFIX BAS TAG SK:
         MAX_FOR_B
                                                                                                        { bit and allows room for more expansion
END_MODULE $BASPAR:
{
                 End of file BASPAR.SDL
```

0019 AH-BT13A-SE

## DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

